



ZURFLOH-
FELLER

OCTOEASY RIGID LINKS ABACUS

SOMFY 

➤ OCTOEASY Ø50/60 ABACUS

✓ Selection of the number of rigid links

Ocoteasy abacus for PVC curtain - Nb of links				
L (mm) \ W(kg)	0-14	14-21	21-28	28-35
450-1200	2	3	4	5
1200-1700	3	3	4	5
1700-2200	4	4	4	5

Ocoteasy abacus for aluminium curtain - Nb of links				
L (mm) \ W(kg)	0-14	14-21	21-28	28-35
450-1400	2	3	4	5
1400-2350	3	3	4	5
2350-3300	4	4	4	5
> 3300	Follow the global recommendations: 7kg/link 1 link every 80cm 20Nm max			


✓ Selection of the number of links

Tube 50

X (mm)	Y		NB.
	Min.	Max.	
125	25	65	1
137	30	70	1
150	35	75	1
165	40	80	1
180	20	60	2
205	60	100	2

Tube 60

X (mm)	Y		NB.
	Min.	Max.	
125	20	60	1
137	30	70	1
150	40	80	1
165	45	85	1
180	20	60	2
205	60	100	2



/ ABACUS *(MIGHT BE MODIFIED ONCE THE QUALIFICATION IS COMPLETED)*

➤ OCTOEASY Ø40 ABACUS

✓ Selection of the number of rigid links

Ocoteasy abacus for PVC curtain - Nb of links				
W(kg) L (mm)	0-14	14-21	21-28	28-35
450-1200	2	3	4	5
1200-1700	3	3	4	5
1700-2200	4	4	4	5

Ocoteasy abacus for aluminium curtain - Nb of links				
W(kg) L (mm)	0-14	14-21	21-28	28-35
450-1400	2	3	4	5
1400-2350	3	3	4	5
2350-3300	4	4	4	5
> 3300	Follow the global recommendations: 7kg/link 1 link every 80cm 20Nm max			

✓ Selection of the number of links

Tube 40

X (mm)	Y		NB.
	Min.	Max.	
125	15	70	1
137	25	80	1
150	35	80	1
165	45	80	1
180	25	60	2
205	40	100	2

